EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5522	((29/596,598) or (310/254)).CCLS.	US-PGPUB; USPAT	OR	OFF	2009/01/05 07:33
L2	268	l1 and @pd>"20080201"	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/01/05 07:34
S1	282221	(h02k$/$.ipc. or h02k$/$.ipcr.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/01 10:28
S2	105	S1 and wed$3 with (depth)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/01 10:28
S3	113	S1 and weld$3 with (depth)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/01 10:28
S4	79	S1 and weld$3 near10 (depth)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/01 10:36
S5	2	wo "9009863"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/01 12:46
S6	1	1990-290200.NRAN.	DERWENT	ADJ	ON	2009/01/01 12:46
S7	2	jp "2001231190"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/01 13:21

S8	282619	(h02k$/$.ipc. or h02k$/$.ipcr.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/03 10:27
S9	124	S8 and weld$3 with mm	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/03 10:27
S10	86	S8 and weld$3 near10 mm	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/03 10:27
S11	82	S8 and weld$3 near4 (depth or width or radius or thickness or dimension) with (core or stator or rotor or armature or yoke)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/03 10:42
S12	71	S8 and weld$3 near4 (depth or width or radius or thickness or dimension) near15(core or stator or rotor or armature or yoke)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/03 10:43
S13	0	("WO9745940").PN.	DERWENT	OR	OFF	2009/01/03 17:16
S14	1	WO "9745940"	DERWENT	ADJ	ON	2009/01/03 17:16
S17	10	welding seam depth	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/01/04 15:37
S18	14	weld seam depth	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/01/04 15:39
S19	1120	weld near2 depth	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/01/04 15:54
S20	282619	(h02k$/$.ipc. or h02k$/$.ipcr.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/04 15:55
S21	258	S20 and weld$3 near10 (thickness)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/04 15:55

S22	276	S20 and weld$3 near4 (depth or width or radius or thickness or dimension)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/04 15:56
S23	97	lamination and weld$3 near4 (depth)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/04 16:01
S24	269	(lamination or laminated) and weld$3 near4 (depth)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/04 16:01
S25	602	(lamination or laminated) and weld$3 near4 (half or "0.5")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/04 16:16
S26	11	(lamination or laminated) and weld$3 near10 depth near3 (half or "0.5")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/04 16:17
S27	17	(lamination or laminated) and weld$3 near10 depth near10 (half or "0.5")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/04 16:17
S28	10	(butt weld or buttweld) and weld$3 near10 depth near10 (half or "0.5")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/04 16:20
S29	40	(butt weld or buttweld) and depth near10 (half or "0.5")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/04 16:20

1/5/2009 7:40:26 AM
C:\ Documents and Settings\ lcazan\ My Documents\ EAST\ Workspaces\ 10527917\ 2009.01.01. wsp

file:///C\/Documents%20and%20Settings/lcazan/My%20Doc...7917/EASTSearchHistory.10527917_AccessibleVersion.htm (3 of 3)1/5/2009 7:40:40 AM